

**SAFETY DATA SHEET OF MIXTURE**
**SECTION 1. IDENTIFICATION OF THE MIXTURE AND OF THE UNDERTAKING**
**1.1. PRODUCT IDENTIFIER**

Trade name	Saletrosan® 26 Saletrosan® 26 plus Saletrosan® 26 plus modyfikowany Saletrosan® 26 with boron Saletrosan® 26 with microorganisms Salmix 2
Other names or synonyms	Fertilizer type: Ammonium sulfate nitrate (ASN)

**1.2. RELEVANT IDENTIFIED USES OF THE MIXTURE AND USES ADVISED AGAINST**

**IDENTIFIED USES:**  
Agricultural fertilizer  
(Use no. 10-18 acc. to the Ammonium Nitrate CSR)

**USES ADVISED AGAINST:** incompatible with intended use.

**1.3. DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET**

**Grupa Azoty S.A.**  
33-101 Tarnów, ul. E. Kwiatkowskiego 8  
POLAND  
tel. +4814 633 07 81 ÷ 85  
Fax +4814 633 07 18  
e-mail contact of the person responsible for safety data sheet:  
[tb@grupaazoty.com](mailto:tb@grupaazoty.com)

**1.4. EMERGENCY TELEPHONE NUMBER**

**Emergency services: 112**  
**Substantive help of Grupa Azoty S.A.:**  
**+4814 637 21 00, 637 31 00, 24 hours a day**

**SECTION 2. HAZARDS IDENTIFICATION**
**2.1 CLASSIFICATION OF THE MIXTURE**

Classification in accordance with Regulation (EC) no. 1272/2008 (CLP)

The product ingredients are not listed in the Regulation of the European Parliament and of the Council (EC) of 16 December 2008 on classification, labelling and packaging of substances and mixtures; however, based on the Chemical Safety Report for ammonium nitrate, the product has been classified as an Eye Irritant (cat. II) H319 - irritating to eyes; oxidation product (cat.III) H272 - May intensify fire; oxidizer.

**2.2 LABEL ELEMENTS**

Labelling in accordance with Regulation (EC) no. 1272/2008:

- Hazard pictogram(s):



- Signal word(s): ATTENTION

Hazard statement(s):

H319 - Causes serious eye irritation.

**Precautionary statement(s):**

- (P264) - Wash hands thoroughly after handling.
- (P280) - Use protective gloves / eye protection.
- (P305 + P351 + P338) - if in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.
- (P337 + P313) - If eye irritation persists: Get medical advice/attention.
- (P301 + P312) - if swallowed: Call a POISON CENTRE/doctor if you feel unwell.

**2.3 OTHER HAZARDS**

Ammonium nitrate is a strong oxidant. It supports smoking as a source of oxygen. This substance is unstable during heating decomposes with the release of heat and toxic gases: NO<sub>x</sub>, NH<sub>3</sub>. It is an unstable substance during heating, decomposes with the release of heat and toxic gases: NO<sub>x</sub>, NH<sub>3</sub>. Bismuth, cadmium, copper, molybdenum, lead, nickel, zinc, reduce ammonium nitrate to form ammonium nitrite - an unstable compound that increases the possibility of explosion. Contaminated ammonium nitrate may in extreme cases cause an explosion. Small amounts of mercury, chromates, permanganates, sulphides and chlorides are dangerous. The danger of poisoning by skin contact or inhalation is small. Readily absorbed by the alimentary tract (with partial reduction in the stomach and the intestines to more toxic nitrite). Small doses do not cause effects. Large doses are irritating to the alimentary tract mucous membranes; gastrointestinal disorders may occur resulting in nausea, vomiting and diarrhoea, with systemic formation of methaemoglobin.

Avoid contact with dolomite nitro-chalk dust. Avoid release to drinking water intakes, sewage or soil. Water contaminated with ammonium nitrate is not suitable for drinking.

Substance does not meet the PBT or vPvB criteria.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**
**3.1 MIXTURES**

Name of substance	The content [%]	WE	CAS	Classification
				compliant with the Regulation (EC) no. 1272/2008 (CLP)
Ammonium nitrate	39-44 <sup>1</sup> Min. 29 <sup>2</sup>	229-347-8	6484-52-2	Eye Irrit.2 H319, Oxid.Solid3 H272
Ammonium sulphate	53 to 54 <sup>1</sup> Min. 8.25 <sup>2</sup>	231-984-1	7783-20-2	Not listed
Boric acid <sup>3</sup>	1.8	233-139-2	10043-35-3	H360FD
Iron sulphate monohydrate <sup>4</sup>	0,1-1,5	231-753-5	17375-41-6	H302, H319, H315, H317
Anti-caking agent	0,1-0,3	-		No effect on classification

**Chemical composition of products:**

The basic components of the mixture are: ammonium nitrate and ammonium sulphate. The water content is up to 0.8%. Depending on the type of fertilizer, additives may be used to improve the product's properties and its suitability as a mineral fertilizer, not being dangerous substances.

**SECTION 4. FIRST AID MEASURES**
**4.1 DESCRIPTION OF FIRST AID MEASURES**
**IF INHALED**

Immediately remove the victim from the contaminated area. Provide fresh air. If nitrogen oxide poisoning is suspected (even if no symptoms are evident), immediately take the victim to a hospital.

**IF SWALLOWED**

Give plenty of water with milk to drink. Do not induce vomiting. Immediately call a doctor.

**IF ON SKIN**

Wash with plenty of water and immediately remove contaminated clothes. If skin irritation persists, consult a dermatologist.

<sup>1</sup> Applies to Saletrosan® 26, Saletrosan® 26 plus, Saletrosan® 26 plus modyfikowany and Saletrosan® 26 with boron

<sup>2</sup> Applies to Salmix 2

<sup>3</sup> Applies to Saletrosan® 26 with boron

<sup>4</sup> Applies to Saletrosan® 26 plus, the additionally used iron sulphate monohydrate does not affect the classification of the mixture

**IN CASE OF CONTACT WITH EYES**

Rinse with plenty of water for a minimum of 10 minutes while holding the eyelids wide open. Consult a ophthalmologist.

**FIRST AID MEASURES**

Immediately remove contaminated clothes, provide fresh air and medical help. Thoroughly wash the skin with water and soap at the point of contact.

If in eyes: Rinse immediately with running water for a minimum of 15 minutes while holding the eyelids wide open. Consult a ophthalmologist.

If swallowed: Immediately seek medical attention. Ammonium nitrate is toxic if swallowed.

**4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED**

Eye irritation may occur as an effect of eye exposure to the product.

**4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED**

NO DATA.

**SECTION 5. FIREFIGHTING MEASURES**

**5.1 EXTINGUISHING MEDIA**

Ammonium nitrate alloy and nitrate fertilizers are not flammable. In the case of fire, ammonium nitrate must be intensely cooled with water sprays or, if possible to do so, removed from the range of fire. Firefighters should use proper respiratory protection, because ammonium nitrate may, if heated, decompose into nitrogen oxides and ammonia.

**SUITABLE EXTINGUISHING MEDIA:**

The only effective method for ceasing decomposition or fire is to use large amounts of water to cool and dissolve the substance. Other extinguishing media have little effect.

**UNSUITABLE EXTINGUISHING MEDIA:**

Do not use coherent jets of water on the surface of the substance on fire. DO NOT USE foam extinguishers, steam or sand on decomposing fertilizers.

**5.2 SPECIAL HAZARDS ARISING FROM THE MIXTURE**

Ammonium nitrate is the main ingredient of the fertilizer, a strong oxidizer and a non-flammable substance which still can support the combustion process. When heated and with inhibited heat transmission to the environment, exothermal decomposition may occur. When decomposing in closed spaces, the substance has a high explosive potential. Fire produces hazardous vapours, ammonia and nitrogen oxides. Cool the containers exposed to fire or high temperature with water, and remove them from the hazardous area if possible to do so.

**5.3 ADVICE FOR FIREFIGHTERS**

If high concentrations of vapours and dust are present, use self-contained breathing apparatus.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

**6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES**

**6.1.1 For non-emergency personnel**

Avoid contact with fertilizer dust. Wear protective clothes, protective gloves and - if dust is present - respirators.

**6.1.2 For emergency personnel**

Avoid contact with fertilizer dust. Wear protective work clothes, protective gloves and - if dust is present - respirators; see Section 4.

**6.2 ENVIRONMENTAL PRECAUTIONS**

Prevent contamination of underground waters. Do not flush into drains. Secure drains. Immediately notify the relevant authorities about any water contamination.

**6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP**

**6.3.1** Small spills or leaks: pump out or collect the product and place in a dedicated and labelled containers for waste. Clean the contaminated surfaces with plenty of water. Do not collect the spilled product with sawdust or other flammable materials.

**6.3.2** Large spills or leaks: pump out or collect the product and place in a dedicated and labelled containers for waste. Transfer for recovery. Clean the contaminated surfaces with plenty of water. Immediately notify the relevant authorities if large amounts of the spilled substance enter surface waters.

**6.3.3** Do not collect the spilled product with sawdust or other flammable materials.

**6.4 REFERENCE TO OTHER SECTIONS**

See also section 8.2 and 13

<b>SECTION 7. HANDLING AND STORAGE</b>
--

See also Section 8 for relevant information.

**7.1 PRECAUTIONS FOR SAFE HANDLING**

Saletrosan - mineral fertilizer - use as intended.

**7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES**

Protect from water, rain, snow, direct sunlight or heating to over 30 °C; store separately from flammables and reacting chemicals (see Section 10).

Store in clean and dry storage buildings, which are protected from ingress of moisture from the ground. Due to the low resistance of the product to direct sunlight, rain, snow and temperature changes, the product must not be stored under canopy roofs or in open-air yards. Eliminate all ignition sources and do not use open flame. Do not smoke. Keep the fertilizer away from all heat sources, e.g. heating systems, steam or hot water manifolds, or any heat-emitting electrical systems. Electrical wiring must be protected against shorting. All equipment and devices in the same storage shall be in good technical condition. Do not use any devices which leak fuel, oil or lubricants. The rooms must be empty of all flammables and materials which may react with the fertilizer, especially coal, wood, sawdust, oils, lubricants, propellants, pesticides, urea fertilisers and any other substances which contain chlorides, acids, alkalis, powdered metals, or metal oxides. Store damaged fertilizer bags separately.

Leave clearance between the stacks to allow free approach with internal handling machines. Flexible fertilizer containers with a weight below 500 kg can be stacked in a maximum of 2 layers. Store larger containers in single layer only. Lay 50 kg bags flat and in up to 10 layers only.

**KEEP THE STORAGE FACILITIES SECURED AGAINST UNAUTHORISED ACCESS. THE FERTILIZER BAGS SHALL BE SUITABLY LABELLED FOR EASY IDENTIFICATION.**

**7.3 SPECIFIC END USE(S)**

The product is used as a fertilizer. See Section 1.2

<b>SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION</b>
---

**8.1. CONTROL PARAMETERS**

Substance	NDS (TWA)	NDSch STEL (maximum allowable short-term concentration)	NDSP (maximum allowable ceiling concentration)
Other non-toxic industrial particulates, also including free (crystalline) silica at <2%	10 mg/m <sup>3</sup>	not determined	not determined

See also paragraph 15.1 pos.15

The recommended methodology:

**DNEL**

Workers: long-term exposure - systemic effects		
Indicator	unit	
DNEL worker (skin)	mg/kg	21.3
DNEL worker (inhalation)	mg/m <sup>3</sup>	37.6
Population: long-term exposure - systemic effects		
DNEL population (skin)	mg/kg	12.8
DNEL population (inhalation)	mg/m <sup>3</sup>	11.1
DNEL population (oral)	mg/kg	12.8

**PNEC:**

No data.

**8.2. EXPOSURE CONTROLS**
**8.2.1 Appropriate engineering controls**

This information complements Section 7.

Work stations in indoor facilities shall be ventilated. Follow the general industrial OHS regulations. Work station dust concentration levels shall be measured.

**8.2.2 Individual protection measures such as individual equipment**

- a) Eye/face protection - safety goggles
- b) Skin protection - obligatory
  - Hand protection - protective gloves
  - Others - work clothing
- c) Respiratory protection - obligatory, use masks if dust is present
- d) Thermal hazards - not applicable

**8.2.3 Environmental exposure controls**

Measure the concentration levels and monitor the sewage discharge. Do not introduce into the environment in quantities larger than defined in legal provisions and official decisions.

Acceptable pollution of inland surface waters:

Ammonium nitrogen

I Purity class - 1.0 mg N-NH<sub>4</sub>/l

II Purity class - 3.0 mg N-NH<sub>4</sub>/l

III Purity class - 6.0 mg N-NH<sub>4</sub>/l

Nitrate nitrogen

I Purity class - 5.0 mg N-NO<sub>3</sub>/l

II Purity class - 7.0 mg N-NO<sub>3</sub>/l

III Purity class - 15.0 mg N-NO<sub>3</sub>/l

PNEC - for fresh waters 0.45 mg/l

PNEC - for sea waters 0.045 mg/l

PNEC - for short-term exposure 4.5 mg/l

PNEC - for microorganisms in water treatment plants 18 mg/l

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**9.1. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	Solid - brown or beige granules (or brick-red - Saletrosan® 26 plus)
ODOUR	None, or ammonia
ODOUR THRESHOLD	No data
PH	(water solution of 10g/100 ml) > 4.5
MELTING POINT/FREEZING POINT	160-170 °C (for ammonium nitrate)
INITIAL BOILING POINT AND BOILING RANGE	210 °C at 11 mmHg for pure ammonium nitrate
FLASH POINT	Non-flammable
EVAPORATION RATE	No data
FLAMMABILITY (SOLID, GAS)	Non-flammable
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS	No data
VAPOUR PRESSURE	No data
VAPOUR DENSITY	Approx.2.8 (for ammonium nitrate) (air: 1)
RELATIVE DENSITY	No data
SOLUBILITY(IES)	Readily soluble in water, 1900 g/l (at 20 °C for ammonium nitrate)
PARTITION COEFFICIENT: N-OCTANOL/WATER	No data available (inorganic chemical)
AUTO-IGNITION TEMPERATURE	Not applicable.
DECOMPOSITION TEMPERATURE	> 210°C
VISCOSITY	No data
EXPLOSIVE PROPERTIES	No explosive properties
OXIDISING PROPERTIES	Strong oxidizer (ammonium nitrate)

**9.2. OTHER INFORMATION**

None

**SECTION 10. STABILITY AND REACTIVITY**

**10.1 REACTIVITY**

The fertilizer has no oxidizing properties. Reactions with combustible and reducing materials.

**10.2 CHEMICAL STABILITY**

Saletrosan is stable provided that the storage conditions follow Section 7.

**10.3 POSSIBILITY OF HAZARDOUS REACTIONS**

Hazardous reactions with the substances listed in Section 10.5 is possible. At high temperatures, the product may decompose into nitrogen oxides and ammonia.

#### 10.4 CONDITIONS TO AVOID

The substance sustains combustion and oxidation. Fire and explosion hazards are elevated by high temperature, high pressure, hermetic rooms, presence of organic substances, catalytic effects and strong detonators.

#### 10.5 INCOMPATIBLE MATERIALS

Steel, powdered metals, alkalic metals, metal oxides, non-metals, carbides, flammable substances, nitrides, lyes, acids, ammonium compounds, organic substances, chlorates, powdered aluminium, sulfides, sawdust, propellants, oils and lubricants, straw; Incompatible working materials: metals, steel. When humid, the product may corrode metals.

#### 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Nitrogen oxides and ammonia; when heated above 280 °C, the product may decompose rapidly with emission of ammonia, sulphur trioxide, as well as corrosive and toxic gases.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### 11. 1 INFORMATION ON TOXICOLOGICAL EFFECTS

– acute toxicity;

LD<sub>50</sub> > 2000 mg/kg (for ammonium nitrate (V))

Large quantities of the substance (dust) creates methaemoglobin, cardiac arrhythmia, headache, and lower blood pressure; the decomposition products may result in respiratory swelling.

LD50 (ingestion):2950 mg/kg bw

LD50 (skin):5000 mg/kg bw

Acute toxicity by inhalation is not assessed because the vapour pressure of the substance is too low, whereas the ammonium nitrate particle size prevents any potential for absorption by pulmonary alveoli.

– corrosive / irritating to the skin;

The substance is not caustic.

– serious eye damage / eye irritation;

Eye irritant (H319), an irritation symptom is reddening of the eyes.

– sensitization by inhalation or skin;

Skin: No sensitizing effect

Respiratory: no data available.

– mutagenic effect on germ cells;

Genotoxicity: negative.

– carcinogenicity;

Not classified as carcinogenic.

There is certain evidence of potential formation of n-nitrous compounds in food and tissues which contain excess nitrates/nitrides. N-nitrous compounds are known to be potentially mutagenic/carcinogenic. The saliva bacteria decompose nitrates into a harmless acid.

– reproductive toxicity;

No data available for ammonium nitrate.

– action of target organ toxicity - single exposure;

No data.

– action of target organ toxicity - repeated exposure;

1) Repeated dose toxicity: oral

No tests are available for the repeated dose toxicity of ammonium nitrate NOAEL KNO<sub>3</sub>:256 mg/kg of body weight

2) Repeated dose toxicity: inhalation NOAEC:185 mg/m<sup>3</sup>

3) Repeated dose toxicity: skin No skin test.

- an aspiration hazard  
No data.

Likely routes of exposure and delayed, direct and chronic effects from short-and long-term exposure.  
Not available.

## SECTION 12. ECOLOGICAL INFORMATION

### 12.1 TOXICITY

Ammonium sulfate nitrate (ASN) is used as a mineral fertilizer. It is a local hazard with a consequence of entering water. Toxic to aquatic organisms. Excessive drain into waters causes their eutrophication. The ammonium salt toxicity to fish is lower than of free ammonia, yet with similar symptoms. Ammonium nitrate at 500 mg/dm<sup>3</sup> is lethal to the carp.

**Toxicity to fish, aquatic invertebrates, algae and cyanobacteria, non-algae aquatic plants and microorganisms**

LC50/48h fish: *Cyprinus carpio* 447 mg/l; short-term

EC50/24h/48h Shellfish: *Daphnia magna* 490 mg/l; short-term

EC50/10d KNO<sub>3</sub> test for Algae: numerous phytobenthos diatoms >1700 mg/l

### 12.2 PERSISTENCE AND DEGRADABILITY

When diluted and after a long time, ammonium nitrate is biologically destroyed, i.e. absorbed as a fertilizer by plants. Ammonium salts are decomposed in the aquatic environment and emit ammonia gas. The dissociation level depends on pH and temperature.

### 12.3 BIOACCUMULATIVE POTENTIAL

Simple inorganic salts that are readily soluble in water in aqueous solutions occur in their dissociated form. The substances have a low bioaccumulative potential.

### 12.4 MOBILITY IN SOIL

Readily soluble in water. Prevent escape into drinking water intakes, sewage or soil. Water contaminated with ammonium nitrate is not suitable for drinking.

### 12.5 RESULTS OF PBT AND VPVB ASSESSMENT

Pursuant to Annex XIII of the Regulation (EC) No. 1907/2006, the PBT (persistence, bioaccumulative and toxicity) and vPvB (very persistent and very bioaccumulative) have not been assessed, because ammonium nitrate is inorganic.

### 12.6 OTHER ADVERSE EFFECTS

High levels of nitrates in water causes a fast growth of algae and reduction of oxygen in water (eutrophication).

## SECTION 13. DISPOSAL CONSIDERATIONS

### DESCRIPTION OF POSSIBLE WASTE

Spent product containers. Soil and water contaminated with the substance, and other materials used to absorb the substance after a failure or an accident.

### GENERAL WASTE HANDLING RULES

If waste is generated during transport or unloading (loading), collect the spilled product into non- flammable containers, and if the product is not mixed with flammable substances, release for use as a fertilizer. If the product is mixed with flammable substances, dissolve it in water and use the solution as a fertilizer. Prevent contamination of underground waters.

### 13.1 WASTE TREATMENT METHODS

product - should be used as a fertilizer,

packaging - should be removed as indicated on the packaging.

According to the regulations in Section 15.1.



**SECTION 14. TRANSPORT INFORMATION**

The mixture is not controlled by RID or ADR regulations.

**14.1 UN NUMBER** Not applicable

**14.2 UN PROPER SHIPPING NAME** Not applicable

**14.3 TRANSPORT HAZARD CLASS(ES)** Not applicable

**14.4 PACKAGING GROUP** Not applicable

**14.5 ENVIRONMENTAL HAZARDS** Not applicable

**14.6 SPECIAL PRECAUTIONS FOR USER**

The fertilizer carried on transport vehicles shall be protected against water, rain and snow, direct sunlight, contact with organic materials and damage to the product containers.

**14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL AND THE IBC CODE:** Not applicable

**OTHER INFORMATION****LABELLING**

**RID, ADR, IMDG:** Not applicable

**ICAO/IATA:** Not applicable

**ICAO/IATA:** Not applicable

**CLASSIFICATION CODE (ADR/RID):** Not applicable

**TANK CODE / detailed ADR requirements:** Not applicable

**SECTION 15. REGULATORY INFORMATION**

Ammonium nitrate is listed in Appendix II to EC Regulation No. 98/2013 on the marketing and use of explosives precursors. All suspicious transactions and their attempts, disappearances and thefts should be reported to the National Focal Point.

The sale of ammonium nitrate and mixtures containing ammonium nitrate in a concentration of at least 16% - expressed as the ratio of nitrogen to ammonium nitrate - to the average users (including consumers, i.e. persons who do not run a business, agricultural activities) is illegal, in accordance with item 56 of the REACH regulation - item 15.1.1 of the Safety Data Sheet.

**15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE MIXTURE**

1. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), (OJ EU L 396, 30/12/2006, as amended).
2. Polish Act of 25 February 2011 on chemical substances and mixtures (Polish Journal of Laws No. 63 item 322, as amended, including amendment of 20 March 2015 - Polish Journal of Laws 2015, item 675),
3. Polish Act of 27 April 2001 Environmental Protection Law (Polish Journal of Laws No. 62 item 627, as amended).
4. Polish Act of 14 December 2012 on waste (Polish Journal of Laws No. 2013 item 21, as amended).
5. Polish Regulation of the Ministry of Health of 10 August 2012 on the classification criteria and methods for chemicals and mixtures (consolidated text in the Ministry of Health Declaration of 12 January 2015, Polish Journal of Laws, item 208).
6. Polish Regulation of the Ministry of Health of 20 April 2012 on labelling of packaging of dangerous substances and mixtures and certain mixtures (consolidated text in the Ministry of Health Declaration of 2 March 2015 concerning the Declaration of the consolidated text of the Ministry of Health Regulation on labelling of packaging of dangerous substances and mixtures and certain mixtures, Polish Journal of Laws, item 450).
7. Regulation of the Minister of Health of 25 August 2015 concerning labelling of sites, pipelines, containers and vessels utilised for storage or containing hazardous substances or mixtures (Polish Journal of Laws 2015, item 1368),
8. Polish Act of 19 August 2011 on the transport of hazardous goods (Polish Journal of Laws No. 227 item 1367, as amended).
9. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006 (OJ UE 31.12.2008, as amended),
10. Polish Regulation of the Ministry of Labour and Social Policy of 12 June 2018 on the maximum permissible concentrations and intensities of hazardous factors in the work environment (Polish Journal of Laws, 2018, item 1286 as amended).
11. Polish Act of 13 June 2013 on managing waste and waste packaging (Polish Journal of Laws 2013, item 888, as amended).
12. Regulation of the European Parliament and of the Council (EC) No. 98/2013 of January 15, 2013 on the marketing and use of explosives precursors (Official Journal L39 of 09/02/2013), as amended.
13. Act of 13 April 2016 on the safety of trading of explosives precursors (Journal of Laws of 2016, item 669).

**15.2 CHEMICAL SAFETY ASSESSMENT**

The assessment of ammonium nitrate has been prepared in the CSA supplied to ECHA under a joint registration, reference: IS-Amonium-Nitrate-6484-52-2.

Information contained in this card along with the attachments are in line with our best knowledge as of the date of its update. Information contained in it should be treated only as a guideline in relation to the activities and processes being the subject of individual sections of the card.

<b>SECTION 16. OTHER INFORMATION</b>
--------------------------------------

**AN EXPLANATION AND INDICATION OF WHERE CHANGES HAVE BEEN MADE TO THE PREVIOUS VERSION OF SAFETY DATA SHEET PRODUCTS UPDATE**

**A KEY OR LEGEND TO ABBREVIATIONS AND ACRONYMS USED IN THE SAFETY DATA SHEET**

CSR Chemical Safety Report

EC50 Effective concentration 50%

LC 50 Lethal concentration 50%

LD50 Lethal dose of 50%

NOAEL No Observable Adverse Effect Level of a tested dosage

NOAEC The highest concentration of the substance at which no harmful change is detectable during the tests, PBT persistence, bioaccumulation and toxicity, REACH Registration, Evaluation and Authorization of chemicals, vPvB high persistence and high bioaccumulation

**KEY LITERATURE REFERENCES AND SOURCES FOR DATA**

This MSDS has been prepared from the relevant CSR and experimental and theoretical data.

**OTHER INFORMATION**

Corporate Commercial Department Agro Segment

Sales Department: tel.014/637 37 35 fax.014/637 27 23

Technologist: tel.014/637 42 11

**LIST OF RELEVANT R PHRASES, HAZARD STATEMENTS, SAFETY PHRASES AND/OR PRECAUTIONARY STATEMENTS**

Described in section 2

**ADVICE ON APPROPRIATE TRAINING**

Before attempting to work with the product, the user should understand the OHS rules for handling the substance.

*SEE: THE FOLLOWING PAGES OF THE SHEET*